

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/893,177	06/27/2001	Michael S. Ripley	42390P11151	4529	
	7590 03/07/2007 DKOLOFF, TAYLOR & Z	AFMANILP	EXAM	INER	
Seventh Floor			HO, THOMAS M		
12400 Wilshire Los Angeles, C			ART UNIT PAPER NUMBER 2132		
avonenino, anti mon					
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MO	NTHS	03/07/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)					
	09/893,177	RIPLEY ET AL.					
Office Action Summary	Examiner	Art Unit					
	Thomas M. Ho	2132					
The MAILING DATE of this communication app	ears on the cover sheet with	the correspondence address	ss				
Period for Reply	/ 10 OFT TO EVDIDE • MO	NELLON OR THUREN, (OA) E	242/0				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA. - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period variety between the reply within the set or extended period for reply will, by statute, any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICA 36(a). In no event, however, may a repl vill apply and will expire SIX (6) MONTH , cause the application to become ABAN	ATION. y be timely filed S from the mailing date of this commoditioned (35 U.S.C. § 133).					
Status							
1)⊠ Responsive to communication(s) filed on <u>18 De</u>	ecember 2006.						
	action is non-final.						
3) Since this application is in condition for allowar		s, prosecution as to the me	erits is				
closed in accordance with the practice under E							
Disposition of Claims							
4) Claim(s) 6-8,19,20,31-33 and 37-39 is/are pen	ding in the application.						
4a) Of the above claim(s) is/are withdray	wn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>6-8, 19-20, 31-33, 37-39</u> is/are rejected.							
7) Claim(s) is/are objected to.	7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	۲.						
10) The drawing(s) filed on is/are: a) acc	epted or b)□ objected to by	the Examiner.					
Applicant may not request that any objection to the	drawing(s) be held in abeyance	e. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct							
11) ☐ The oath or declaration is objected to by the Ex	caminer. Note the attached (Office Action or form PTO-	152.				
Priority under 35 U.S.C. § 119							
12) ☐ Acknowledgment is made of a claim for foreigna) ☐ All b) ☐ Some * c) ☐ None of:	priority under 35 U.S.C. § 1	19(a)-(d) or (f).					
1. Certified copies of the priority document			,				
2. Certified copies of the priority document							
3. Copies of the certified copies of the prior	•	eceived in this National Sta	ige				
application from the International Bureau	•	anived.					
* See the attached detailed Office action for a list	of the certified copies not re	ceived.					
Attachment(s)	•						
1) Notice of References Cited (PTO-892)	4) 🔲 Interview Su	nmary (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/	Mail Date ormal Patent Application					
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:						

Application/Control Number: 09/893,177 Page 2

Art Unit: 2132

DETAILED ACTION

1 Claims 6-8, 19-20, 31-33, 37-39 are pending.

2. The response of 12/18/06 has been entered.

Response to Arguments

3. The Applicant has argued against the Examiner's interpretation of the term "storage medium." The Applicants contend that storage medium does not mean RAM, but rather refers to data storage that exists on tapes or disks such as a hard drive or DVD. The Applicant distinguishes this from "main memory" which refers to RAM or ROM.

The Examiner disagrees with the Applicant's interpretation. Broadly construed, a storage medium is simply a medium where data may be stored. The term storage medium does not exclude "RAM or ROM" in its conventional usage. As evidence the Examiner has provided a cursory set of reference in support of this interpretation.

Applicant's further arguments appear to stem from this premise that a storage medium is not RAM (main memory) and therefore, Saito does not meet the limitation as claimed. As recite above, the Examiner disagrees with the Applicant's narrower interpretation and provides the references below as support. For this reason, Applicant's arguments has been fully considered but are unpersuasive.

US 5790780 A Britchta et al.

6) A failure information memory 18 is also coupled to interface 12. Like inventory information memory 14, failure information memory 18 can reside in a suitable storage medium, such as RAM, ROM, disk, tape storage, or other suitable volatile or non-volatile data storage system. Failure information memory 18, which may be a relational database, receives and stores failure information 20.

US 5444780 A Hartman Jr

Shown in FIG. 4 is a functional diagram illustrating in detail the structure and interaction of a server computer system for providing secure time transmissions to a client computer system in accordance with the present invention. The server computer system (secure time server) is designated generally as 120 and is located in a physically secure data center. The system includes server CPU 112, server TOD clock 126, I/O port 128, public key and private key storage area 130, and calibration stability history storage area 402. Server CPU 122 itself includes encryption/decryption processor 124, stability monitoring processor 404, and calibration processor 406 (and may of course include many additional functional components typically found in CPUs described in the open literature). TOD clock 126 includes a time clock and a date calendar, preferably based on a highly accurate time source, which may be set to Coordinated Universal Time, Greenwich Mean Time, or some local time. I/O port 128 is connected via electronic communication network to one or more client computer systems (secure time requestors) and provides the $\ensuremath{\text{I/O}}$ mechanism for receiving client TOD clock values as well as client calibration and stability data and for sending new client TOD clock values as well as new calibration and stability data to secure-time requestors. Key storage area 130 and calibration/stability history storage area 402 may be maintained in any digital storage medium, such as RAM, disk, tape, etc.

US 5325238 A Stebbings et al.

(10) It will be evident from the foregoing description that a basic requirement of the system of FIG. 1 is a digital storage device which, in the case of stores 32 and 34 is capable of being read out at high speed, and in the case of stores 40 and 42 of being both loaded and read out at high speed. Until relatively recently, available storage devices couldn't handle bit rates on the order of tens of megabytes per second necessary to fully restore the analog signal and at the same time achieve a high duplication rate. For

Application/Control Number: 09/893,177

Art Unit: 2132

Page 4

example, at least fifteen to thirty megabytes per second are required for audio signal replication from sixty-four, to one hundred twenty-eight times real time. Of the several possibilities available today, the currently preferred device is a magnetic disk store having a plurality of side-by-side discs rotating at 3600 rpm, for example, and multiple heads which can simultaneously read in, or read out information which, in effect, provides a multi-channel disk store which has a sufficiently high bit rate. Another potentially usable, but currently more expensive, digital storage medium is RAM or EEPROM devices which have the required speed capability and which in sufficient numbers can provide the requisite storage capacity, and can be read out more easily than mechanical stores. However, because their cost per megabyte of storage currently is on the order of five to twenty times that of magnetic disk storage devices, the latter is utilized in the present system.

US 5396505 A

Freeman et al.

(28) The invention has now been described in detail with reference to the preferred embodiment. Alternatives and substitution will be apparent to persons of ordinary skill in the art. For example, although the invention has been defined with reference to a shared bus communication system, it is equally applicable to digital communication system utilizing other communication channels such as telephone line, optical fiber, microwave, or radio-frequency links. Additionally, the checking matrices in the preferred embodiment are implemented in gate arrays, but any suitable storage medium such as RAM, ROM, or general purpose registers can be utilized. The intersection of two fields has been described but error checking based on more than two fields can also be implemented. Accordingly, it is not intended to limit the invention except as provided in the claims.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 09/893,177 Page 5

Art Unit: 2132

5. Claims 6-8, 19-20, 31-33, 37-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Saito, US patent 09/893177 in view of Silberschatz and Galvin, "Operating System Concepts: Fifth Edition."

In reference to claim 6:

Saito discloses a method comprising:

- Receiving a request to transfer content to a customer (Column 6, lines 38-42)
- Retrieving from a content source encrypted content corresponding to the requested content, the encrypted content being encrypted by a title key, where the title key is KS1 (Column 7, line 65- Column 8, line 5)
- Obtaining a customer identifier ID associated with the customer, where the identifier is obtained with the other user information. (Column 6, lines 43-52)
- Binding the requested content to the customer ID by using the customer ID to encrypt the title key, where the requested content is bound to the ID by first using the ID to encrypt the title key, KS1. (Column 7, line 65- Column 8, line 5)
- Transferring from the content source the encrypted content and the encrypted title key to a storage medium, where the encrypted content and the encrypted title key may be accessed by the customer, where the encrypted title key is first transferred and accessed by the customer to be decrypted. (Column 6, line 61 Column 7, line 7 et seq.) & (Column 7, line 55- Column 8, line 5)

· Art Unit: 2132

• Storing the encrypted content and the encrypted title key on the storage medium, from which the encrypted content and the encrypted title key may be accessed by the customer. Saito (Column 7, lines 1-12) and (Column 8, lines 1-19) where the encrypted content is the encrypted watermarked data content, and where the encrypted title key is the encrypted secret key. Consequently, both the secret key in encrypted form and the encrypted content is stored within the same storage medium (the main memory) at some point during the execution of the content distribution method.

Saito fails to explicitly state that the encrypted content and the encrypted key is stored in the same storage. It would have been obvious to one of ordinary skill in the art at the time of invention to store the key and content in the memory storage, in order to allow the information to be processed and decrypted because "Main memory is the only large storage area that the processor can access directly." Silberschatz and Galvin page 32, last paragraph.

In reference to claim 7:

Saito (Column 6, lines 53-67) discloses the method of claim 6, wherein said binding the requested content to the customer ID by using the customer ID to encrypt the title key comprises combining the customer ID with a media key provided by the content source, where the user ID is bound to a media key, KB1 which is then used to encrypt the title key, KS1, which is then used to encrypt the title key.

In reference to claim 8:

Art Unit: 2132

Saito (Column 6, lines 52-60) discloses the method of claim 7, wherein said combining the customer ID with a media key comprises using a cryptographic one-way function, where the customer ID is combined with the media key using the one way hash function, MD5.

In reference to claim 31:

Saito discloses a method comprising:

- Accessing encrypted content (Column 7, line 60-67) that is stored on a storage medium(Column 8, lines 23-54) additionally storing a customer ID(Column 6, lines 48-50) associated with a customer requesting the content(Column 6, lines 35-50), a Media Key block (MKB), the information used to complete Kb1)(Column 6, lines 48-55), and the title key, KS1, (Column 6, lines 60-65) that is encrypted (encrypted title key) with a customer ID (KS1, Column 6, lines 60-65), where KB1 is the combined version of both the customer ID and the public key, KB1. (Column 6, lines 48-55), and where the content is encrypted with the title key, KS1 (Column 7, line 65 Column 8, line 5)
- Processing the MKB to generate a Media key by using Device Keys associated with a
 device for using the content, where the MKB is the set of information used to create the
 Media key, KB1, and where the device keys, KS1 and KS2 associated with the device are
 also used for using the content. (Column 6, lines 53-67)
- Decrypting the encrypted title key to form the title key by reading a customer ID and combining the customer ID and the Media Key, where the title key, KS1 is decrypted to form the title key, encrypted using the original combined key KB1. (Column 7, lines 4-11)

Art Unit: 2132

• Using the title key to decrypt the encrypted content, where the title key KS1 is used to decrypt the content. (Column 8, lines 13-17)

Claims 32, 38, 41 are rejected for the same reasons as claim 8.

Claims 19 are rejected for the same reasons as claim 6.

Claims 20 are rejected for the same reasons as claim 7.

Claim 37 are rejected for the same reasons as claim 31.

In reference to claims 33 and 39:

Saito discloses fails to explicitly disclose an embodiment wherein the content comprises a music title.

Saito however does disclose that audio data content used at the content to be distributed was well known in the art. (Column 1, lines 40-46)

The Examiner takes as admitted prior art that content comprising a music title was well known at the time of invention. For example, CD tracks have the names of the songs attached to them.

Additionally it is noted that Saito (Column 1, lines 40-46) discloses the content may include audio and video.

It would have been obvious to one of ordinary skill in the art at the time of invention to have content comprising a music title in order to allow the invention of Saito to be used with distributing musical content to reach out to that section of the market.

Conclusion

6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of the final action and the advisory action is not mailed under after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension pursuant to 37 CFR 1.136(A) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication from the examiner should be directed to Thomas M Ho whose telephone number is (571)272-3835. The examiner can normally be reached on M-F from 9:30 AM - 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on (571)272-3799.

The Examiner may also be reached through email through <u>Thomas.Ho6@uspto.gov</u>

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571)272-2100.

General Information/Receptionist

Telephone: 571-272-2100

Fax: 571-273-8300

Customer Service Representative

Thomas Ko AUZIST

Telephone: 571-272-2100

Fax: 571-273-8300

TMH

March 5th, 2007

GILBERTO BARRON JY SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2100